



October 2020

PUBLIC HEALTH

Federal Programs Provide Screening and Treatment for Breast and Cervical Cancer

Accessible Version

GAO Highlights

Highlights of [GAO-21-35](#), a report to the Chairman of the Committee on Finance, U.S. Senate

Why GAO Did This Study

According to the CDC, tens of thousands of people die each year from breast or cervical cancer. Early screening and detection, followed by prompt treatment, can improve outcomes and, ultimately, save lives. Federal programs, like CDC's Early Detection Program, are intended to improve access to these services.

GAO was asked to examine the implementation of the Early Detection Program and the states' use of Medicaid under the Treatment Act. This report provides information on the number of people who were 1) screened through the Early Detection Program and 2) enrolled in Medicaid under the Treatment Act.

GAO analyzed CDC data on the number of people screened by the Early Detection Program from calendar years 2011 through 2018—the most recent available. GAO also analyzed CMS Medicaid enrollment data from 2016 through 2019—the most recent available. Additionally, GAO reviewed a 2020 study funded by CDC that examines the number of people eligible for the Early Detection Program from 2011 through 2017. Finally, GAO interviewed CDC and CMS officials and reviewed relevant CDC and CMS documents.

View [GAO-21-35](#). For more information, contact John E. Dicken, (202) 512-7114, dickenj@gao.gov.

October 2020

PUBLIC HEALTH


Federal Programs Provide Screening and Treatment for Breast and Cervical Cancer

What GAO Found

The Centers for Disease Control and Prevention (CDC) operates the National Breast and Cervical Cancer Early Detection Program (the Early Detection Program) to provide cancer screening and diagnostic services to people who are low-income and uninsured or underinsured. For those screened under the program who require treatment, the Breast and Cervical Cancer Prevention and Treatment Act of 2000 (the Treatment Act) allows states to extend Medicaid eligibility to individuals not otherwise eligible for Medicaid.

GAO analysis of CDC data show that the Early Detection Program screened 296,225 people in 2018, a decrease from 550,390 in 2011 (about 46 percent). The largest decrease occurred from 2013 to 2014 (see figure). According to a CDC-funded study, the number of people eligible for the Early Detection Program decreased from 2011 through 2017, by about 48 percent for breast cancer and about 49 percent for cervical cancer. CDC officials attributed these declines in screening and eligibility, in part, to improved access to screening under the Patient Protection and Affordable Care Act (PPACA). For example, PPACA required health plans to cover certain women's preventive health care with no cost sharing.

Number of People Screened by CDC's Early Detection Program, 2011-2018



Source: GAO analysis of data from the Centers for Disease Control and Prevention (CDC). | [GAO-21-35](#)

GAO analysis of Centers for Medicare & Medicaid Services' (CMS) data found that, in 2019, 43,549 people were enrolled in Medicaid under the Treatment Act to receive treatment for breast or cervical cancer, a decrease from 50,219 in 2016 (13.3 percent). Thirty-seven states experienced a decrease in Medicaid enrollment under the Treatment Act during this time period, 13 states experienced an increase, and one state had no change. CMS officials noted that Medicaid expansion to adults with incomes at or below 133 percent of the federal poverty level under PPACA (the new adult group) is a key factor that contributed to these enrollment trends. CMS officials said that, in Medicaid expansion states, there were some people who previously would have enrolled in Medicaid based on eligibility under the Treatment Act who instead became eligible for Medicaid in the new adult group. The CMS data show that total enrollment under the Treatment Act in Medicaid expansion states decreased by 25.6 percent from 2016 to 2019. In contrast, total enrollment under the Treatment Act in non-expansion states increased by about 1 percent during this time period.

Contents

Letter	1
Background	5
CDC's Early Detection Program Screened nearly 300,000 People in 2018, Reflecting an Overall Decline in Screening and Eligibility	9
About 43,500 People Were Enrolled in Medicaid under the Treatment Act in 2019, and Enrollment Varied by State in Recent Years	18
Agency Comments	21

Appendix I: Screening through the Early Detection Program	23
Appendix II: Medicaid Breast and Cervical Cancer Prevention and Treatment Act Enrollment	38
Appendix III: GAO Contact and Staff Acknowledgments	41
Appendix IV: Accessible Data	42
Data Tables	42

Tables	
Table 1: Total Number of People Screened by National Breast and Cervical Cancer Early Detection Program Grantees, 2011 and 2018	23
Table 2: Number of People Screened and Diagnosed with Breast Cancer by National Breast and Cervical Cancer Early Detection Program Grantees, 2011 through 2018	26
Table 3: Number of People Screened and Diagnosed with Cervical Cancer by National Breast and Cervical Cancer Early Detection Program Grantees, 2011 through 2018	29
Table 4: Race/Ethnicity of People Screened for Breast Cancer by National Breast and Cervical Cancer Early Detection Program Grantees, 2011 and 2018	32
Table 5: Race/Ethnicity of People Screened for Cervical Cancer by National Breast and Cervical Cancer Early Detection Program Grantees, 2011 and 2018	35

Table 6: Total Number of People Enrolled in Medicaid under the Breast and Cervical Cancer Prevention and Treatment Act, 2016 and 2019	38
---	----

Figures

Figure 1: People Screened by CDC's National Breast and Cervical Cancer Early Detection Program, 2011 through 2018	11
Figure 2: Estimated Number of People Eligible for the National Breast and Cervical Cancer Early Detection Program, 2011 through 2017	14
Figure 3: People Screened by CDC's National Breast and Cervical Cancer Early Detection Program, by Race and Ethnicity, 2011 through 2018	17
Accessible Data for Number of People Screened by CDC's Early Detection Program, 2011-2018	42
Accessible Data for Figure 1: People Screened by CDC's National Breast and Cervical Cancer Early Detection Program, 2011 through 2018	43
Accessible Data for Figure 2: Estimated Number of People Eligible for the National Breast and Cervical Cancer Early Detection Program, 2011 through 2017	44
Accessible Data for Figure 3: People Screened by CDC's National Breast and Cervical Cancer Early Detection Program, by Race and Ethnicity, 2011 through 2018	45

Abbreviations

CDC	Centers for Disease Control and Prevention
CMS	Centers for Medicare & Medicaid Services
PPACA	Patient Protection and Affordable Care Act

This is a work of the U.S. government and is not subject to copyright protection in the United States. The published product may be reproduced and distributed in its entirety without further permission from GAO. However, because this work may contain copyrighted images or other material, permission from the copyright holder may be necessary if you wish to reproduce this material separately.



October 28, 2020

The Honorable Charles E. Grassley
Chairman
Committee on Finance
United States Senate

Dear Chairman Grassley:

According to the Centers for Disease Control and Prevention (CDC), tens of thousands of people die each year from breast or cervical cancer.¹ In 2017, the most recent year of data available from the CDC, about 251,000 women in the United States were diagnosed with breast cancer and about 42,000 died of the disease. While cervical cancer is less common than breast cancer, CDC data show that nearly 13,000 women were diagnosed with cervical cancer in the United States in 2017 and about 4,200 died. Early screening and detection, followed by prompt treatment, can improve outcomes and, ultimately, save lives. Yet, research has shown that low-income, uninsured, and underinsured people face challenges accessing timely screening and treatment for breast and cervical cancer.²

To improve access to screening and diagnostic services for these underserved and high-risk populations, since 1991, CDC has administered the National Breast and Cervical Cancer Early Detection Program (which we refer to as the Early Detection Program) to provide cancer screening and diagnostic services to low-income and uninsured and underinsured individuals.³ In addition, under the Breast and Cervical

¹Centers for Disease Control and Prevention, *United States Cancer Statistics: Data Visualizations*, accessed June 22, 2020, www.cdc.gov/cancer/dataviz.

²See, for example, CDC, "Cancer Screening Test Use – United States, 2015," *Morbidity and Mortality Weekly Report*, vol. 66, no. 8 (2017); and G. Zhao et al. "Health Insurance Status and Clinical Cancer Screenings Among U.S. Adults," *American Journal of Preventive Medicine*, vol. 54, no. 1 (2018).

³The Early Detection Program was authorized by the Breast and Cervical Cancer Mortality Prevention Act of 1990, Pub. L. No. 101-354, 104 Stat. 409 (1990) (codified, as amended, at 42 U.S.C. §§ 300k, et seq.).

Cancer Prevention and Treatment Act of 2000 (which we refer to as the Treatment Act), states have the option to extend coverage for breast and cervical cancer treatment under Medicaid, the joint federal-state health financing program for low-income and medically needy individuals.⁴ Medicaid programs are administered at the state level and overseen at the federal level by the Centers for Medicare & Medicaid Services (CMS). Since we last reported on these programs in 2009, the Patient Protection and Affordable Care Act (PPACA) was enacted, which included provisions that increased insurance coverage and affected cancer screening.⁵ For example, PPACA gave states the authority to expand their Medicaid programs to low-income adults and required health plans to cover certain women's preventive health care with no cost sharing.

To help inform Congress on the implementation and effectiveness of these programs, you asked us to examine how many people have been screened through the Early Detection Program and treated by Medicaid under the Treatment Act. This report provides information on

1. the number of people screened by CDC's Early Detection Program and
2. the number of people enrolled in Medicaid under the Treatment Act.

To determine the number of people screened through the Early Detection Program, we analyzed CDC data on the number of people screened and diagnosed for breast and cervical cancer by the Early Detection Program

CDC defines eligibility for the Early Detection Program as those who are low-income and uninsured or underinsured, such as those who cannot afford large out-of-pocket cost sharing required by their health insurance plan.

⁴Pub. L. No. 106-354, 114 Stat. 1381 (2000) (codified, as amended, at 42 U.S.C. §§ 1396a, 1396b, 1396d, 1396r-1b). In addition, states may extend this Medicaid coverage to American Indians and Alaska Natives who are eligible for health services provided by the Indian Health Service or by a tribal organization. Pub. L. No. 107-121, 115 Stat. 2384 (2002) (codified, as amended, at 42 U.S.C. § 1396a(aa)). U.S. territories may also extend this optional Medicaid coverage to eligible individuals.

⁵GAO, *Medicaid: Source of Screening Affects Women's Eligibility for Coverage of Breast and Cervical Cancer Treatment in Some States*, [GAO-09-384](#), (Washington, D.C.: May 22, 2009).

Pub. L. No. 111-148, 124 Stat. 119 (2010), as amended by the Health Care and Education Reconciliation Act of 2010, Pub. L. No. 111-152, 124 Stat. 1029 (2010). For purposes of this report, references to PPACA include the amendments made by the Health Care and Education Reconciliation Act of 2010.

from calendar years 2011 through 2018, both nationally and by grantee.⁶ We examined this time period in order to capture data before and after the implementation of PPACA. In addition, 2018 was the most recent full calendar year of data available.⁷ We present data on 67 of the 70 current grantees because data were unavailable for three grantees that were new to the Early Detection Program in 2017.⁸ We also reviewed the results of a 2020 study funded by CDC that estimated the number of women eligible for the Early Detection Program in the 50 states and Washington, D.C., each year from 2011 through 2017.⁹ These estimates are likely an underestimate due to the exclusion of underinsured women, among other reasons noted in the study.¹⁰ We also spoke to CDC officials and representatives from two national cancer advocacy groups—Susan G. Komen and the American Cancer Society—to learn more about the program. We assessed the reliability of the CDC dataset by checking for

⁶There are currently 70 Early Detection Program grantees, which include state, territorial, and tribal health departments and other tribal organizations. Breast cancer screening includes clinical breast exams and mammograms. Cervical cancer screening includes Pap tests and human papilloma virus tests.

We did not analyze screening data by sex or gender because CDC does not track this information; however, cisgender women, transgender women, and transgender men may all be eligible for screening under the Early Detection Program if they meet eligibility and screening criteria. Cisgender men are not eligible—according to the CDC, less than one percent of all breast cancer cases occur in men. The term “cisgender” refers to a person whose gender identity corresponds with the sex that person was identified as having at birth, while the term “transgender” refers to a person whose gender identity differs from the sex that person was identified as having at birth. We use the gender-neutral term “people” throughout this report, except where gendered language is necessary to be consistent with agency reporting.

⁷The last complete year of final diagnosis data available was 2017 because, according to CDC officials, there is a time lag between when people are screened and when their final diagnosis data are received.

⁸These grantees are Great Plains Tribal Chairmen’s Health Board, American Indian Cancer Foundation, and the Republic of the Marshall Islands. In addition to the 70 current grantees, the Poarch Band of Creek Indians was a grantee until 2012 and then discontinued participation in the program. We present data for the years this grantee participated.

⁹The CDC awards Early Detection Program funding to the U.S. territories and tribes via cooperative agreements, but the study does not report separately for these groups. Florence Tangka et al., “The Eligibility and Reach of the National Breast and Cervical Cancer Early Detection Program after Implementation of the Affordable Care Act,” *Cancer Causes & Control*, vol. 31 (2020): pp. 473-489.

¹⁰CDC officials told us that they do not have a source of data that would enable them to estimate the size of the underinsured population.

missing values and obvious errors, reviewing relevant CDC documents, and speaking to CDC officials. We determined the CDC data were sufficiently reliable for the purposes of our reporting objective.

To determine the number of people enrolled in Medicaid under the Treatment Act, we analyzed CMS Medicaid enrollment data from 2016 through 2019 for the 50 states and the District of Columbia.¹¹ We examined this time period because, according to CMS officials, 2016 was the first year in which a complete calendar year of data became available for all states.¹² In addition, 2019 was the most recent full calendar year of data available. Specifically, in the data, we analyzed the eligibility group variable to identify individuals whose basis for Medicaid eligibility was the “Certain Individuals Needing Treatment for Breast or Cervical Cancer” group code during at least one month of the year.¹³ We also spoke to CMS officials and representatives from the two national cancer advocacy groups to learn more about the program. We assessed the reliability of the dataset used in our analysis by checking for missing values and obvious errors, reviewing relevant CMS documents, and speaking to CMS officials. We analyzed the Medicaid enrollment data as they were reported by states to CMS and we did not independently verify the accuracy or completeness of the Medicaid enrollment information with the

¹¹We analyzed Medicaid enrollment by sex (according to a binary male/female classification) because both women and men may be eligible. We did not analyze Medicaid enrollment by gender because CMS’s data do not track this information. As a result, we could not determine how many enrollees were cisgender and how many were transgender.

Because, according to CMS officials, only the U.S. Virgin Islands has elected to provide coverage under the Treatment Act, we did not examine Medicaid data from U.S. territories. While territories have the option of extending this Medicaid coverage to eligible people, Puerto Rico and Guam have not elected to provide this coverage and American Samoa and the Commonwealth of the Northern Mariana Islands operate their Medicaid programs under different guidelines and a different state plan format than other jurisdictions, according to CMS.

¹²We analyzed enrollment data accessed on September 2, 2020, from the Transformed Medicaid Statistical Information System Analytic File, a national Medicaid dataset administered by CMS. This dataset replaced CMS’s prior Medicaid dataset, the Medicaid Statistical Information System, which we used in our prior report; see [GAO-09-384](#). We have previously reported on data challenges associated with the ongoing development and implementation of the Transformed Medicaid Statistical Information System. GAO, *Medicaid: Further Action Needed to Expedite Use of National Data for Program Oversight*, [GAO-18-70](#) (Washington, D.C.: Dec. 8, 2017). See also GAO, *Medicaid Eligibility: Accurate Beneficiary Enrollment Requires Improvements in Oversight, Data, and Collaboration*, [GAO-20-147T](#) (Washington, D.C.: Oct. 30, 2019).

¹³For Tennessee in 2016, we derived data from the “Medicaid Basis of Eligibility” variable due to data reliability concerns with the eligibility group variable for that state in that year.

states. We determined the CMS data were sufficiently reliable for the purposes of our reporting objective.

We conducted this performance audit from December 2019 to October 2020 in accordance with generally accepted government auditing standards. Those standards require that we plan and perform the audit to obtain sufficient, appropriate evidence to provide a reasonable basis for our findings and conclusions based on our audit objectives. We believe that the evidence obtained provides a reasonable basis for our findings and conclusions based on our audit objectives.

Background

Early Detection Program Structure and Eligibility Requirements

The Early Detection Program is implemented through cooperative agreements between the CDC and 70 grantees—health departments in the 50 states, the District of Columbia, and six U.S. territories, as well as 13 tribes and tribal organizations. In addition to CDC funding, all grantees are required to provide non-federal matching funds. According to self-reported data from the grantees for the 2018 to 2019 program year, about 63 percent of grantees have acquired state-appropriated funds to support their programs, 10 percent of grantees have acquired additional federal resources, and about 21 percent of grantees have acquired funds from non-profits.¹⁴ Grantees typically provide the screenings through a network of local providers, such as community health centers and private providers. To ensure that people receive complete screening, the Early Detection Program provides diagnostic testing and follow-up services for

¹⁴CDC officials explained that “state-appropriated funds” are funds appropriated by the state legislature specifically for breast or cervical cancer screening. Although grantees are required to provide non-federal matching funds, CDC officials said that these can also take the form of cash (non-appropriated funds) or in-kind services.

those whose screening results are abnormal, although treatment is not provided with Early Detection Program funds.¹⁵

The Early Detection Program funds breast and cervical cancer screening services for people who are uninsured or underinsured, have an income equal to or less than 250 percent of the federal poverty level, are aged 40 through 64 for breast cancer screenings or aged 21 through 64 for cervical cancer screenings, and meet clinical cancer screening guidelines.¹⁶ Within this population, CDC prioritizes and sets screening targets for certain groups; specifically, CDC expects that 75 percent or more of the people grantees screen for breast cancer will be women aged 50 to 64 and that 20 percent or more of the people grantees screen for cervical cancer will be women who have never been screened. Individual grantees also have some flexibility to set their own eligibility requirements, which may be broader or narrower than these CDC targets.¹⁷

CDC also prioritizes other groups for screening without setting screening targets, based on a group's disproportionate risk of developing cancer or a lack of adequate health care options for prevention or treatment. For

¹⁵Additionally, in a small number of cases each year, the Early Detection Program also provides diagnostic services to people who did not receive CDC-funded screening services through the program, according to CDC. This may occur when people are referred into the program after receiving screening services elsewhere or if a person is underinsured and their health insurance does not fully cover diagnostic services or covers them, but with substantial cost sharing.

¹⁶For example, women who have had total hysterectomies for benign disease are not eligible for cervical cancer screening through the Early Detection Program in accordance with recommendations from the U.S. Preventive Services Task Force and other organizations. Further, in accordance with recommendations from the Center of Excellence for Transgender Health, the Early Detection Program may cover breast cancer screening for transgender women if they have taken or are taking hormones, and transgender men may be eligible for breast and cervical cancer screening if they have not undergone a bilateral mastectomy or a total hysterectomy, respectively.

People outside of the standard age ranges may also be eligible for screening under certain circumstances. For example, people who are symptomatic or at high-risk for breast cancer (due to conditions such as the BRCA 1 or 2 genetic mutations) are eligible for breast cancer screening under age 40.

¹⁷According to CDC's most recent annual grantee survey, while the majority of grantees use the same minimum screening ages and income threshold targeted by CDC, two grantees use a lower minimum age for breast cancer screening; 21 grantees use a higher minimum age for breast cancer screening; 18 grantees use a higher minimum age for cervical cancer screening; and 15 grantees use a lower income threshold. Additionally, 63 grantees extend eligibility to underinsured people, while 7 do not.

example, according to CDC, Black women have a similar incidence rate for breast cancer compared with White women but are approximately 40 percent more likely to die from the disease, and CDC specifically highlights Black women as a population that would benefit from the Early Detection Program.¹⁸ Although health disparities are often considered in the context of race or ethnicity, other population groups may experience health disparities. According to CDC, these include groups that may be defined by disability, sexual orientation, gender identity, geographic location, or socioeconomic status. Early Detection Program grantees are required to identify these types of target populations and are then responsible for educating and motivating them to seek screening and ensuring that services are accessible and provided in a culturally competent manner.

Treatment Act Option and Eligibility Requirements

To address concerns that the Early Detection Program did not include a treatment component for people who received a cancer diagnosis, the Treatment Act was enacted in 2000 to allow states to extend Medicaid eligibility to those in need. Under the law, states can opt to extend Medicaid eligibility to those who are under age 65, do not have other creditable coverage for cancer treatment,¹⁹ are otherwise not eligible for Medicaid, and have been (1) screened under CDC's Early Detection Program and (2) found to be in need of treatment for breast or cervical cancer, including for precancerous conditions.²⁰

We previously reported that, as of 2008, all states and the District of Columbia had opted to extend this Medicaid eligibility to those determined

¹⁸Lisa C. Richardson et al., *Patterns and Trends in Age-Specific Black-White Differences in Breast Cancer Incidence and Mortality – United States, 1999-2014*, Morbidity and Mortality Weekly Report, vol. 65, no. 40 (2016).

¹⁹For purposes of this group, CMS defines "creditable coverage" as coverage under a group health plan; comprehensive health insurance; Medicare Part A or Part B; full-benefit Medicaid; health coverage of the military and uniformed services; health coverage of employees of Congress and the District of Columbia; and a state health benefits risk pool. The term expressly excludes medical care programs of the Indian Health Service or of a tribal organization.

²⁰States must provide full Medicaid coverage for the period when the enrollee needs treatment for breast or cervical cancer. After the initial period of eligibility based on screening through the Early Detection Program and determination of the need for breast or cervical cancer treatment, eligibility may be continued based on the determination of an individual's treating health professional.

to be in need of treatment through the Early Detection Program.²¹ We also noted that states have flexibility regarding beneficiary eligibility. Specifically, CMS defines “screened under the Early Detection Program” as including people under any of three categories: (1) those whose clinical services under the Early Detection Program were provided all or in part with CDC funds; (2) those screened by a CDC-funded provider within the scope of the state’s Early Detection Program, even if CDC funds did not pay for the particular service; or (3) those screened by a non-CDC-funded provider whom the state has elected to include as part of its Early Detection Program.²² Early Detection Program grantees determine who is considered to have been screened under their program. When we previously reported, 16 states and the District of Columbia extended eligibility only to those screened or diagnosed with CDC funds, while the remaining 34 states used a broader definition of “screened under the Early Detection Program.”

Changes Made by the Patient Protection and Affordable Care Act

PPACA gave states the authority to expand their Medicaid programs (which we refer to as Medicaid expansion) to cover adults ages 19 through 64 who are not pregnant, not entitled to Medicare, and with household incomes at or below 133 percent of the federal poverty level beginning January 1, 2014 (which we refer to as the new adult group).²³ Historically, eligibility for Medicaid had been limited to certain categories of low-income individuals, including children, parents, pregnant women, and individuals who have disabilities or who are aged 65 and older. As of

²¹[GAO-09-384](#).

²²Although cisgender men are not eligible for CDC-funded screening through the Early Detection Program, a cisgender man may still be eligible for Medicaid enrollment under the Treatment Act through one of these broader definitions of “screened under the Early Detection Program”, according to CMS guidance, such as when a CDC-funded Early Detection Program provider screens a man without using CDC funds. See Centers for Medicare and Medicaid Services, *Implementation Guide: Medicaid State Plan Eligibility, Individuals Needing Treatment for Breast or Cervical Cancer* (2020).

²³PPACA also permitted an early expansion option, whereby states could expand eligibility for this population, or a subset of this population, starting on April 1, 2010. Additionally, PPACA provides for a disregard equivalent to 5 percent of the federal poverty level when calculating income for determining Medicaid eligibility for most individuals, which effectively increases income eligibility from 133 percent of the federal poverty level to 138 percent of the federal poverty level for the new adult group.

July 2020, 35 states and the District of Columbia had opted to expand their Medicaid programs and, according to CMS, three states planned to expand Medicaid later in 2020 or in 2021.²⁴ In addition, PPACA required the creation of health insurance exchanges—marketplaces where individuals and small employers can compare and select among insurance plans offered by participating private health plans.²⁵ PPACA also improved coverage of breast and cervical cancer screening by requiring health plans to cover certain women’s preventive health care with no cost sharing.²⁶

CDC’s Early Detection Program Screened nearly 300,000 People in 2018, Reflecting an Overall Decline in Screening and Eligibility

According to data from CDC, 296,225 people were screened for breast or cervical cancer by the Early Detection Program in 2018, a decrease from 550,390 in 2011 (about 46 percent).²⁷ (See fig. 1.) The largest decrease occurred from 2013 to 2014—the first year that several key PPACA provisions went into effect, including Medicaid expansion and the implementation of health insurance exchanges and subsidies, such as premium tax credits and cost-sharing reductions, to help people purchase health plans. According to CDC officials, health insurance coverage expansions and improved access to screening under PPACA were

²⁴According to CMS, Nebraska plans to expand Medicaid on October 1, 2020; Oklahoma and Missouri are planning to expand Medicaid by July 1, 2021.

²⁵Certain consumers purchasing health insurance through the exchanges are eligible for premium tax credits and cost-sharing reductions that reduce their out-of-pocket costs for health insurance. Individuals with incomes between 100 and 400 percent of the federal poverty level may qualify for premium tax credits, and those with incomes between 100 and 250 percent may qualify for cost-sharing reductions.

²⁶Diagnostic and treatment services may be subject to cost-sharing.


²⁷This number is unduplicated, meaning that people who received multiple screenings—such as both a breast cancer screening and a cervical cancer screening—in the same year are counted only once. It does not include the small number of people who received diagnostic services through the program without receiving CDC-funded screening services, although that number also decreased through 2017. In 2017 (the most recent full calendar year for which diagnostic data were available), 11,894 people received breast cancer diagnostic services and 5,810 people received cervical cancer diagnostic services without first receiving CDC-funded screening services, decreases of 14.8 and 54.1 percent, respectively, from 2011.

significant factors, among others, contributing to a decrease in the number of people who were eligible and, subsequently, a decrease in those screened. Other factors that can influence the number of people a grantee is able to screen include the amount of CDC funding awarded, the availability of other resources, changes in screening guidelines, and changes in clinical costs, such as more costly screening technologies.²⁸ (See app. I, tables 1-3 for screening data at the grantee level.)

²⁸For example, in March 2012, the U.S. Preventive Services Task Force changed the minimum recommended age for cervical cancer screening, increasing it from 18 years old to 21 years old, and cervical cancer screening intervals increased from 3 years to 5 years for some women.

Figure 1: People Screened by CDC’s National Breast and Cervical Cancer Early Detection Program, 2011 through 2018

Number (in thousands)



Source: GAO analysis of data from the Centers for Disease Control and Prevention (CDC). | GAO-21-35

^aThe total number of unduplicated people screened means that individuals who received multiple screenings in the same year, such as both a breast cancer screening and a cervical cancer screening are counted only once.

The number of people eligible for screening through the Early Detection Program also decreased by about half from 2011 through 2017, according to a CDC-funded study. Specifically, the authors estimated that the number of women eligible for screening through the Early Detection program decreased from approximately 5.4 million in 2011 to approximately 2.8 million in 2017 for breast cancer (a decrease of 48 percent), and from approximately 10.3 million in 2011 to approximately 5.3 million in 2017 for cervical cancer (a decrease of about 49 percent).²⁹ (See fig. 2.) The authors attributed this decrease to insurance coverage expansions under PPACA, such as Medicaid expansion, and the introduction of premium tax credits to purchase private insurance through the new health insurance exchanges, as well as to a decreasing unemployment rate during the study time period.³⁰ The study estimated that the Early Detection Program served 15 percent of all women eligible for breast cancer screening through the program in 2016-2017, an increase from 10.6 percent in 2011-2012, and 6.8 percent of all women eligible for cervical cancer screening through the program in 2015-2017, an increase from 6.5 percent in 2010-2012.³¹ According to CDC officials,

²⁹The study estimated eligibility of women for the program using U.S. Census data, which uses a male/female sex binary; while cisgender women would be included in these estimates, the extent to which transgender men and women would be included is unclear due to the lack of corresponding information about gender identity. These numbers are statistical estimates. The 90 percent confidence intervals for breast cancer are 5.2 – 5.6 million (2011) and 2.6 – 3.0 million (2017). The 90 percent confidence intervals for cervical cancer are 10.0 – 10.6 million (2011) and 5.1 – 5.6 million (2017). Tangka et al., “Eligibility and Reach after the Affordable Care Act.”

³⁰Conversely, an increase in the unemployment rate might increase eligibility for the Early Detection Program. Studies have estimated that job losses associated with the Coronavirus Disease 2019 pandemic are leading to a loss of employer-sponsored health insurance and an increase in the number of uninsured people. While some newly uninsured people may qualify for coverage through Medicaid or coverage assistance in the form of marketplace tax credits, others may remain uninsured, potentially increasing the number of people eligible for the Early Detection Program. See Jessica Banthin et al., *Changes in Health Insurance Coverage Due to the COVID-19 Recession: Preliminary Estimates Using Microsimulation* (Washington, D.C.: Urban Institute and Robert Wood Johnson Foundation, July 2020); The National Center for Coverage Innovation, *The COVID-19 Pandemic and Resulting Economic Crash Have Caused the Greatest Health Insurance Losses in American History* (Washington, D.C.: Families USA, July 17, 2020); and Rachel Garfield et al., *Eligibility for ACA Health Coverage Following Job Loss* (San Francisco, Calif: Kaiser Family Foundation, May 13, 2020).


³¹The authors used these time periods to reflect the frequency at which many women undergo screening, which is every 2 years for breast cancer and every 3 years for cervical cancer. The 90 percent confidence intervals for 2017 are 14.8 – 15.1 percent for breast cancer and 6.7 – 6.8 percent for cervical cancer. The 90 percent confidence intervals for 2012 are 10.4 – 10.9 percent for breast cancer and 6.4 – 6.6 percent for cervical cancer.

people may not receive breast or cervical cancer screenings through the Early Detection Program for a variety of reasons, including lack of knowledge about the need for screening, fear of a cancer diagnosis, lack of trust in health care providers, inconvenient clinic hours, language and cultural barriers, lack of transportation, and lack of clinical providers and services in rural or isolated areas. As we previously reported, some people eligible for the Early Detection Program who are not screened by the program may receive screening from other sources in the community, such as non-profit organizations.³²

³²[GAO-09-384](#).

Figure 2: Estimated Number of People Eligible for the National Breast and Cervical Cancer Early Detection Program, 2011 through 2017

Number of people eligible (in millions)



Source: GAO presentation of data from Tangka et al., "Eligibility and Reach after the Affordable Care Act." | GAO-21-35

According to CDC officials, in order to address these types of barriers and in response to declining trends in the number of people eligible for and

screened by the Early Detection Program, CDC expanded the scope of the program beginning in 2017. In addition to screening people for breast or cervical cancer, the program also focuses more broadly on efforts that increase screening among all low-income women—a strategy known as a population-based approach.³³ As part of this program expansion, grantees must implement patient navigation as well as evidence-based strategies to overcome screening barriers and community strategies to link people to clinical services, as recommended in *The Guide to Community Preventive Services*.³⁴ These strategies include community health worker engagement, patient and provider reminders, provider assessment and feedback, one-on-one and group education, small media, reduction of structural barriers, and reduction of out-of-pocket costs.³⁵ CDC officials said they are collecting data from the grantees that will allow them to assess how well they are implementing this new population-based approach, but because this database was just recently implemented, data are not yet available.³⁶

³³According to CDC, a population-based approach includes strategies that increase screening to all individuals in a target group.

³⁴Community Preventive Services Task Force, *The Guide to Community Preventive Services* (Department of Health and Human Services), accessed August 28, 2020, www.thecommunityguide.org.

Patient navigation is individualized assistance to help overcome barriers and facilitate access; for example, this could include activities such as providing transportation or translation services.

³⁵Community health workers are frontline, culturally competent, public health workers who serve as a bridge between underserved communities and healthcare systems. Patient reminders are written or telephone messages advising people that they are due for screening, and provider reminders inform health care providers that it is time for a client's cancer screening or that a client is overdue for screening. Provider assessment and feedback interventions evaluate provider performance in delivering or offering screening to clients and then provide feedback on that performance. One-on-one and group education consists of conveying information on indications for, benefits of, and ways to overcome barriers to screening with the goal of informing, encouraging, and motivating participants to seek recommended screening. Small media include videos and printed materials, such as letters, brochures, and newsletters, which can be used to inform and motivate people to be screened for cancer. Structural barriers are non-economic burdens or obstacles that make it difficult for people to access cancer screening. Interventions to reduce out-of-pocket costs attempt to minimize or remove economic barriers that make it difficult for people to access cancer screening services.

³⁶At the time of our review, grantees had not yet submitted their first data submission to CDC.


During the time period examined, while the overall number of people screened decreased, CDC's data show that the share of people screened who were racial or ethnic minorities increased from 53.4 percent in 2011 to 73.2 percent in 2018 for breast cancer and from 54.1 percent in 2011 to 74.8 percent in 2018 for cervical cancer.³⁷ Hispanic people were the largest minority group served by the Early Detection Program in the time period examined, and they made up a larger share of racial and ethnic minorities screened by the program over time, increasing from 49.0 percent of minorities screened for breast cancer in 2011 to 68.9 percent in 2018, and from 50.9 percent of minorities screened for cervical cancer in 2011 to 73.1 percent in 2018. As the CDC data show, although the number of Hispanic people screened by the Early Detection Program decreased, this decrease was much smaller than the decreases for other racial and ethnic groups.³⁸ (See fig. 3.) Similarly, the 2020 study funded by CDC found that the number of Hispanic women eligible for screening through the Early Detection Program decreased by a smaller percentage when compared to other racial and ethnic groups.³⁹ For additional race and ethnicity screening data at the grantee level, see appendix I, tables 4 and 5.

³⁷For our analysis of CDC's data by race and ethnicity, we excluded people screened whose race and ethnicity were identified as "unknown." Race and ethnicity are self-reported by program participants.

³⁸The number of non-Hispanic people screened each year decreased by 66.3 percent and 73.1 percent from 2011 to 2018, for breast and cervical cancer, respectively, whereas the number of Hispanic people screened each year only decreased by 3.3 percent for breast cancer and 14.8 percent for cervical cancer.

³⁹According to the study, the number of Hispanic women eligible for services decreased by 30.4 percent for breast cancer and 37.7 percent for cervical cancer from 2011 to 2017. By contrast, the number of Black, non-Hispanic women eligible for services decreased by 51.5 percent for breast cancer and 48.9 percent for cervical cancer, and the number of White, non-Hispanic women eligible for services decreased by 55.9 percent for breast cancer and 54.9 percent for cervical cancer. Additionally, the percentage of Hispanic women eligible for the program was always higher than the percentage of Black, non-Hispanic women and White, non-Hispanic women eligible. In 2017, the percentage of Hispanic women that were eligible for screening services was about twice as high as the percentage of Black, non-Hispanic women eligible and about four times as high as the percentage of White, non-Hispanic women eligible. While the percentage of women eligible was also higher for Hispanic women than for White, non-Hispanic and Black, non-Hispanic women for 2011 through 2016, the relative difference between these groups was slightly smaller in earlier years.

Figure 3: People Screened by CDC’s National Breast and Cervical Cancer Early Detection Program, by Race and Ethnicity, 2011 through 2018



Source: GAO analysis of data from the Centers for Disease Control and Prevention (CDC). | GAO-21-35

Note: People screened whose race and ethnicity were identified as “unknown” are excluded from this figure.

*Includes non-Hispanic people from the following racial groups: Asian, Native Hawaiian or Other Pacific Islander, American Indian or Alaska Native, and Multiracial. Also includes Asian/Pacific Islander, a legacy category from an earlier version of CDC’s data collection.

The number of people screened under and eligible for the Early Detection Program also varied according to the states’ Medicaid expansion status. In general, the number of people screened for breast and cervical cancer decreased more, and the percentage of people eligible for the Early Detection Program was smaller, in states that expanded Medicaid eligibility. CDC’s data show that the number of people screened each year by the Early Detection Program decreased more in Medicaid

expansion states (54.6 percent from 2011 through 2018) than in states that have not expanded Medicaid (29.2 percent from 2011 through 2018).⁴⁰ Similarly, the 2020 study funded by CDC found that the percentage of women eligible for screening through the Early Detection Program was always higher for states that did not expand Medicaid than for expansion states.⁴¹ However, as noted previously, the 2020 study funded by CDC did not estimate the eligibility of underinsured people. Advocacy groups we spoke with noted that, while the number of uninsured people has decreased since the implementation of PPACA, there may still be many underinsured people who need assistance through the Early Detection Program.

About 43,500 People Were Enrolled in Medicaid under the Treatment Act in 2019, and Enrollment Varied by State in Recent Years

According to data from CMS, 43,549 people were enrolled in Medicaid under the Treatment Act to receive treatment for breast or cervical cancer

⁴⁰We used Medicaid expansion status information available on the Kaiser Family Foundation's website, which tracks the date when each state's expansion went into effect. These data are current as of February 19, 2020. Kaiser Family Foundation, "Status of State Action on the Medicaid Expansion Decision, July 1, 2020," accessed July 22, 2020, <https://www.kff.org/health-reform/state-indicator/state-activity-around-expanding-medicaid-under-the-affordable-care-act/>. For purposes of this analysis, states were only counted as expansion states if expansion occurred during or before 2018. Although Maine implemented Medicaid expansion on January 10, 2019, retroactive to July 2018, we did not include it as an expansion state in this analysis because the retroactive expansion was only for part of the year.

⁴¹The study estimated that eligibility in states that did not expand Medicaid in 2017 was about double what it was in states that did expand Medicaid. The percentage of women eligible for breast cancer screening in 2017 was estimated to be 3.6 percent in states that did expand Medicaid (90 percent confidence interval: 3.4-3.9 percent) and 7.5 percent (90 percent confidence interval: 7.1-7.9 percent) in states that did not. The percentage of women eligible for cervical cancer screening in 2017 was estimated to be 3.9 percent in states that did expand Medicaid (90 percent confidence interval: 3.7-4.1 percent) and 8.1 percent in states that did not (90 percent confidence interval: 7.8-8.4 percent). While estimated eligibility was also higher for states that did not expand Medicaid for 2011 through 2016, the relative difference was smaller in earlier years, with eligibility in non-expansion states being about one-and-a-half times as high as expansion states in 2011.

in 2019, a decrease from 50,219 in 2016 (13.3 percent).⁴² CMS data also show that enrollment trends varied by state from 2016 through 2019. Specifically, 37 states experienced a decrease in Medicaid enrollment under the Treatment Act during this time period, 13 states experienced an increase, and one state had no change. (See app. II.)

According to CMS officials, Medicaid expansion is a key factor that contributed to these trends. Specifically, the officials said that, in the states that expanded their Medicaid programs, there were some people who previously would have enrolled in Medicaid based on eligibility under the Treatment Act who instead became eligible for Medicaid through the new adult group created through PPACA.⁴³ The CMS data show that total enrollment under the Treatment Act in Medicaid expansion states decreased by 25.6 percent from 2016 to 2019. In contrast, total enrollment under the Treatment Act in non-expansion states increased by about 1 percent during this time period. Further, 29 of the 34 states that expanded Medicaid had a decrease in enrollment under the Treatment Act from 2016 through 2019.⁴⁴ For some of these Medicaid expansion states, the decrease was larger than others. For example, enrollment in Illinois decreased from 1,441 people in 2016 to 104 people in 2019 (92.8 percent), whereas enrollment in Iowa decreased from 197 people in 2016 to 192 in 2019 (2.5 percent).⁴⁵

⁴²We were unable to examine this trend prior to the implementation of PPACA because, according to CMS officials, 2016 was the first year in which a complete calendar year of data became available for all states. CMS data we analyzed for 2016 in Tennessee are based on a different data field than the other states and years due to data reliability concerns with the reported number of individuals enrolled in Medicaid under the Treatment Act.

⁴³According to CMS officials, in Medicaid expansion states, people would only be eligible for Medicaid enrollment under the Treatment Act if they were not already eligible for Medicaid under this new adult group or any of the other Medicaid eligibility groups. However, people who were eligible for and enrolled under the Treatment Act when the state implemented Medicaid expansion may remain in that eligibility group without having their eligibility determined for the new adult group.

⁴⁴For purposes of this analysis, states were only counted as Medicaid expansion states if expansion occurred during or before 2019.

⁴⁵Enrollment changes during the time period examined were small for the four states that expanded Medicaid and had an increase in enrollment under the Treatment Act, with increases ranging from 2.7 to 12.6 percent. The remaining Medicaid expansion state—Arkansas—had no change in enrollment under the Treatment Act during the time period examined.

Additionally, according to CMS, two states that expanded Medicaid—Arkansas and Maryland—opted to discontinue offering Medicaid coverage to the breast and cervical cancer eligibility group under the Treatment Act beginning in 2014, and CMS data show their enrollment under the act subsequently decreased or remained at zero over the time period examined.⁴⁶ This is a change from our 2009 report, where we found that all 50 states and the District of Columbia opted to extend Medicaid coverage to the breast and cervical cancer eligibility group.⁴⁷ Officials from Arkansas and Maryland said the decision to discontinue coverage under the Treatment Act was made because their states expanded Medicaid. In addition, those state officials noted that people screened and diagnosed by the Early Detection Program who did not qualify for Medicaid could obtain insurance under PPACA through their states' health insurance marketplaces.

In addition, CMS officials said that enrollment trends may be affected by changes in state policies for Medicaid eligibility under the Treatment Act, which vary depending upon how the state Early Detection Program grantee defines what it means to be “screened under the Early Detection Program.”⁴⁸ Representatives from one of the advocacy groups we spoke with indicated that, since our 2009 report, some of these states have changed their definition of what it means to be screened under the Early Detection Program. For example, Oregon and Colorado previously limited eligibility to those screened with CDC funds, but, in 2012 and 2014, respectively, the states expanded this eligibility to include people screened by providers not participating in the states' Early Detection Programs. This expansion of eligibility would likely have increased enrollment under the Treatment Act. However, both states expanded Medicaid in 2014, which would likely have decreased Medicaid enrollment under the Treatment Act due to the new adult group created through

⁴⁶CMS data show no enrollment under the Treatment Act in Arkansas from 2016 to 2019, while Maryland's enrollment decreased over time. Although Maryland discontinued new enrollment, Maryland officials explained that people enrolled prior to December 31, 2013, and actively in treatment are allowed to continue treatment to completion.

⁴⁷[GAO-09-384](#).

⁴⁸We also previously reported that these differences in state policies for Medicaid eligibility under the Treatment Act could affect enrollment trends. [GAO-09-384](#).

PPACA. CMS data show that Medicaid enrollment under the Treatment Act decreased in both Oregon and Colorado from 2016 through 2019.⁴⁹

Finally, in 2016, CMS issued a regulation that may affect states' Medicaid enrollment under the Treatment Act. In 2016, CMS codified eligibility requirements under the Treatment Act based on its January 4, 2001, guidance.⁵⁰ In the preamble to its proposed rule, CMS noted the rule would explicitly provide for coverage of men where the state's Early Detection Program considers men to have been screened under its program.⁵¹ CMS data show that 14 states had at least one man enrolled in Medicaid under the Treatment Act in 2019, for a total of 331 male enrollees.⁵² Further, the 2016 regulation specified that ongoing eligibility for Medicaid under the Treatment Act must be determined by the individual's treating health care professional. Based on that determination, states must dis-enroll people from Medicaid under the Treatment Act if they no longer need treatment for breast or cervical cancer, which could affect enrollment trends.

Agency Comments

We provided a draft of this report to the Department of Health and Human Services for review and comment. The department provided technical comments, which we incorporated as appropriate.

⁴⁹In Oregon, Medicaid enrollment under the Treatment Act decreased from 439 to 250 (43.1 percent) over the time period examined, and, in Colorado, Medicaid enrollment decreased from 252 to 237 (6.0 percent).


⁵⁰81 Fed. Reg. 86,382, 86,452 (Nov. 30, 2016) (codified at 42 C.F.R. § 435.213).

⁵¹78 Fed. Reg. 4594, 4609 (proposed Jan. 22, 2013)

⁵²According to CMS data, 10 additional states that had no male enrollees under the Treatment Act in 2019 had at least one male enrollee in 2016, 2017, or 2018. The vast majority of male enrollees each year were in Massachusetts, which had 303 men enrolled in Medicaid under the Treatment Act in 2019. Massachusetts covers all individuals with breast and cervical cancer under a section 1115 demonstration project. Section 1115 demonstrations allow states, with CMS approval, to test and evaluate new approaches for delivering services under Medicaid.

As agreed with your office, unless you publicly announce the contents of this report earlier, we plan no further distribution until 30 days from the report date. At that time, we will send copies to the appropriate congressional committees, the Secretary of the Department of Health and Human Services, and other interested parties. In addition, the report will be available at no charge on the GAO website at <https://www.gao.gov>.

If you or your staff have any questions about this report, please contact me at (202) 512-7114 or at dickenj@gao.gov. Contact points for our Offices of Congressional Relations and Public Affairs may be found on the last page of this report. GAO staff who made key contributions to this report are listed in Appendix III.

A handwritten signature in black ink that reads "John E. Dicken". The signature is written in a cursive style with a large, stylized "J" and "D".

John E. Dicken
Director, Health Care

Appendix I: Screening through the Early Detection Program

Table 1: Total Number of People Screened by National Breast and Cervical Cancer Early Detection Program Grantees, 2011 and 2018

Grantee category/grantee	Total screened, 2011 ^a	Total screened, 2018 ^a	Percentage change in people screened, 2011 through 2018
All grantees combined	550,390	296,225	-46.2
States and D.C.:	530,600	283,059	-46.7
States and D.C.: Alabama	8,905	6,899	-22.5
States and D.C.: Alaska	7,237	3,664	-49.4
States and D.C.: Arizona	7,742	4,924	-36.4
States and D.C.: Arkansas	4,570	5,143	12.5
States and D.C.: California	43,672	29,741	-31.9
States and D.C.: Colorado	15,435	5,260	-65.9
States and D.C.: Connecticut	8,420	3,135	-62.8
States and D.C.: Delaware	2,927	938	-68.0
States and D.C.: District of Columbia	686	543	-20.8
States and D.C.: Florida	13,871	15,047	8.5
States and D.C.: Georgia	11,381	9,306	-18.2
States and D.C.: Hawaii	1,130	172	-84.8
States and D.C.: Idaho	4,387	2,010	-54.2
States and D.C.: Illinois	32,667	11,500	-64.8
States and D.C.: Indiana	6,122	2,469	-59.7
States and D.C.: Iowa	5,562	2,215	-60.2
States and D.C.: Kansas	6,908	3,723	-46.1
States and D.C.: Kentucky	15,928	4,135	-74.0
States and D.C.: Louisiana	13,119	3,749	-71.4
States and D.C.: Maine	4,799	2,438	-49.2
States and D.C.: Maryland	9,524	4,069	-57.3
States and D.C.: Massachusetts^b	144	-	-100.0
States and D.C.: Michigan	26,386	4,823	-81.7
States and D.C.: Minnesota	13,137	6,291	-52.1

**Appendix I: Screening through the Early
Detection Program**

Grantee category/grantee	Total screened, 2011^a	Total screened, 2018^a	Percentage change in people screened, 2011 through 2018
States and D.C.: Mississippi	6,564	3,391	-48.3
States and D.C.: Missouri	10,947	5,900	-46.1
States and D.C.: Montana	5,802	1,753	-69.8
States and D.C.: Nebraska	10,015	1,564	-84.4
States and D.C.: Nevada	7,094	6,705	-5.5
States and D.C.: New Hampshire	4,652	1,531	-67.1
States and D.C.: New Jersey	13,087	8,371	-36.0
States and D.C.: New Mexico	13,856	5,141	-62.9
States and D.C.: New York	34,572	18,392	-46.8
States and D.C.: North Carolina	14,656	8,710	-40.6
States and D.C.: North Dakota	3,138	1,127	-64.1
States and D.C.: Ohio	15,914	3,730	-76.6
States and D.C.: Oklahoma	3,556	1,023	-71.2
States and D.C.: Oregon	8,547	3,916	-54.2
States and D.C.: Pennsylvania	5,647	10,093	78.7
States and D.C.: Rhode Island	5,629	2,083	-63.0
States and D.C.: South Carolina	8,865	13,758	55.2
States and D.C.: South Dakota	4,041	2,038	-49.6
States and D.C.: Tennessee	8,909	6,065	-31.9
States and D.C.: Texas	24,655	21,795	-11.6
States and D.C.: Utah	5,694	4,529	-20.5
States and D.C.: Vermont	852	201	-76.4
States and D.C.: Virginia	7,254	5,760	-20.6
States and D.C.: Washington	15,796	7,301	-53.8
States and D.C.: West Virginia	15,251	2,161	-85.8
States and D.C.: Wisconsin	9,998	3,495	-65.0
States and D.C.: Wyoming	950	332	-65.1
Territories:	2,845	2,237	-21.4
Territories: American Samoa	860	390	-54.7
Territories: Commonwealth of Northern Mariana Islands	644	364	-43.5
Territories: Guam	502	414	-17.5
Territories: Puerto Rico	212	297	40.1
Territories: Republic of Palau	627	772	23.1
Tribes and tribal organizations:	16,945	10,929	-35.5

**Appendix I: Screening through the Early
Detection Program**

Grantee category/grantee	Total screened, 2011^a	Total screened, 2018^a	Percentage change in people screened, 2011 through 2018
Tribes and tribal organizations: Arctic Slope Native Association Limited	477	454	-4.8
Tribes and tribal organizations: Cherokee Nation	2,838	2,081	-26.7
Tribes and tribal organizations: Cheyenne River Sioux	872	990	13.5
Tribes and tribal organizations: Hopi Tribe	839	234	-72.1
Tribes and tribal organizations: Kaw Nation	557	446	-19.9
Tribes and tribal organizations: Native American Rehabilitation Association of the Northwest	421	411	-2.4
Tribes and tribal organizations: Navajo Nation	1,384	1,377	-0.5
Tribes and tribal organizations: Poarch Band of Creek Indians ^c	53	-	-100.0
Tribes and tribal organizations: South Puget Intertribal Planning Agency	789	484	-38.7
Tribes and tribal organizations: Southcentral Foundation	4,660	2,385	-48.8
Tribes and tribal organizations: Southeast Alaska Regional Health Consortium	2,510	1,756	-30.0
Tribes and tribal organizations: Yukon-Kuskokwim Health Corporation	1,545	311	-79.9

Source: GAO analysis of Centers for Disease Control and Prevention (CDC) data | GAO-21-35

Note: Data were not available for three grantees (two tribal organizations and one territory) that were new to the Early Detection Program in 2017: Great Plains Tribal Chairmen's Health Board, American Indian Cancer Foundation, and the Republic of the Marshall Islands.

^aTotal screened is an unduplicated count of all people (all ages) who received screening services funded by CDC's Early Detection Program. Individuals who received more than one screening service (e.g., both a breast cancer screening and a cervical cancer screening) are only counted once.

^bMassachusetts was given CDC approval to suspend screening for 2016-2018 in order to redesign service delivery. In 2015, the state screened 89 people.

^cFunding for the Poarch Band of Creek Indians ended in 2012.

**Appendix I: Screening through the Early
Detection Program**

Table 2: Number of People Screened and Diagnosed with Breast Cancer by National Breast and Cervical Cancer Early Detection Program Grantees, 2011 through 2018

Grantee category/grantee	Screened for breast cancer, 2011^a	Screened for breast cancer, 2018^a	Percentage change in people screened for breast cancer, 2011 through 2018	Total diagnosed with breast cancer, 2011 through 2017^b
All grantees combined	508,192	255,466	-49.7	33,161
States and D.C.	494,962	245,821	-50.3	32,556 ^c
States and D.C.: Alabama	8,795	6,055	-31.2	816
States and D.C.: Alaska	6,416	3,033	-52.7	213
States and D.C.: Arizona	7,621	4,757	-37.6	440
States and D.C.: Arkansas	4,462	1,736	-61.1	368
States and D.C.: California	32,919	19,882	-39.6	1,170
States and D.C.: Colorado	14,971	3,410	-77.2	767
States and D.C.: Connecticut	8,274	3,024	-63.5	307
States and D.C.: Delaware	2,544	667	-73.8	59 ^c
States and D.C.: District of Columbia	629	534	-15.1	51 ^c
States and D.C.: Florida	13,726	14,847	8.2	1,957
States and D.C.: Georgia	11,053	9,145	-17.3	924
States and D.C.: Hawaii	1,107	166	-85.0	71 ^c
States and D.C.: Idaho	3,514	1,174	-66.6	399
States and D.C.: Illinois	31,492	11,110	-64.7	1,417
States and D.C.: Indiana	6,018	2,347	-61.0	377
States and D.C.: Iowa	5,493	2,189	-60.1	350
States and D.C.: Kansas	6,766	3,517	-48.0	358
States and D.C.: Kentucky	15,635	3,911	-75.0	436
States and D.C.: Louisiana	12,702	2,919	-77.0	756
States and D.C.: Maine	4,661	2,312	-50.4	239
States and D.C.: Maryland	7,875	3,428	-56.5	291
States and D.C.: Massachusetts^d	117	0	-100.0	- ^c
States and D.C.: Michigan	25,946	4,726	-81.8	1,541
States and D.C.: Minnesota	12,757	5,638	-55.8	552
States and D.C.: Mississippi	6,497	3,365	-48.2	690
States and D.C.: Missouri	10,483	5,567	-46.9	1,299
States and D.C.: Montana	5,431	1,468	-73.0	360
States and D.C.: Nebraska	9,422	1,522	-83.8	354
States and D.C.: Nevada	6,995	5,538	-20.8	493
States and D.C.: New Hampshire	4,436	1,376	-69.0	249
States and D.C.: New Jersey	9,131	5,501	-39.8	660

**Appendix I: Screening through the Early
Detection Program**

Grantee category/grantee	Screened for breast cancer, 2011^a	Screened for breast cancer, 2018^a	Percentage change in people screened for breast cancer, 2011 through 2018	Total diagnosed with breast cancer, 2011 through 2017^b
States and D.C.: New Mexico	13,249	4,348	-67.2	578
States and D.C.: New York	32,173	17,723	-44.9	1,505
States and D.C.: North Carolina	13,778	8,107	-41.2	1,533
States and D.C.: North Dakota	3,086	1,083	-64.9	89 ^c
States and D.C.: Ohio	15,671	3,562	-77.3	1,233
States and D.C.: Oklahoma	3,450	980	-71.6	190
States and D.C.: Oregon	7,949	3,505	-55.9	512
States and D.C.: Pennsylvania	5,476	9,338	70.5	611
States and D.C.: Rhode Island	5,380	1,867	-65.3	209
States and D.C.: South Carolina	8,821	13,097	48.5	722
States and D.C.: South Dakota	3,434	1,708	-50.3	169
States and D.C.: Tennessee	7,367	4,722	-35.9	1,409
States and D.C.: Texas	23,110	18,104	-21.7	2,482
States and D.C.: Utah	5,600	4,472	-20.1	361
States and D.C.: Vermont	746	183	-75.5	20 ^c
States and D.C.: Virginia	7,214	5,737	-20.5	883
States and D.C.: Washington	15,473	6,653	-57.0	905
States and D.C.: West Virginia	14,701	2,099	-85.7	409
States and D.C.: Wisconsin	9,593	3,413	-64.4	673
States and D.C.: Wyoming	803	256	-68.1	99 ^c
Territories	2,572	1,965	-23.6	11 ^c
Territories: American Samoa	846	382	-54.8	- ^c
Territories: Commonwealth of Northern Mariana Islands	559	301	-46.2	- ^c
Territories: Guam	497	362	-27.2	- ^c
Territories: Puerto Rico	159	262	64.8	11 ^c
Territories: Republic of Palau	511	658	28.8	- ^c
Tribes and tribal organizations	10,658	7,680	-27.9	192 ^c
Tribes and tribal organizations: Arctic Slope Native Association Limited	293	252	-14.0	- ^c
Tribes and tribal organizations: Cherokee Nation	1,900	1,364	-28.2	43 ^c
Tribes and tribal organizations: Cheyenne River Sioux	553	784	41.8	- ^c
Tribes and tribal organizations: Hopi Tribe	794	216	-72.8	- ^c

**Appendix I: Screening through the Early
Detection Program**

Grantee category/grantee	Screened for breast cancer, 2011^a	Screened for breast cancer, 2018^a	Percentage change in people screened for breast cancer, 2011 through 2018	Total diagnosed with breast cancer, 2011 through 2017^b
Tribes and tribal organizations: Kaw Nation	542	360	-33.6	- ^c
Tribes and tribal organizations: Native American Rehabilitation Association of the Northwest	401	391	-2.5	- ^c
Tribes and tribal organizations: Navajo Nation	1,183	1,126	-4.8	- ^c
Tribes and tribal organizations: Poarch Band of Creek Indians ^e	33	0	-100.0	0
Tribes and tribal organizations: South Puget Intertribal Planning Agency	738	416	-43.6	- ^c
Tribes and tribal organizations: Southcentral Foundation	1,586	1,471	-7.3	112 ^c
Tribes and tribal organizations: Southeast Alaska Regional Health Consortium	1,711	1,115	-34.8	37 ^c
Tribes and tribal organizations: Yukon-Kuskokwim Health Corporation	924	185	-80.0	- ^c

Source: GAO analysis of Centers for Disease Control and Prevention (CDC) data | GAO-21-35

Note: All numbers are unduplicated, meaning that people who received multiple breast cancer screenings or diagnoses in a single year would be counted once. Because the diagnosis counts sum multiple years of data, individuals could be counted more than once if they received breast cancer diagnoses in multiple years. Numbers include program participants of all ages, including those outside the target breast cancer screening age range of 40 to 64. Data were not available for three grantees (two tribal organizations and one territory) that were new to the Early Detection Program in 2017: Great Plains Tribal Chairmen’s Health Board, American Indian Cancer Foundation, and the Republic of the Marshall Islands.

^aScreenings include all breast cancer screening services (e.g., mammogram, clinical breast exam).

^bThis table excludes 2018 diagnosis data because that data was only available through June 2018. Diagnoses include breast carcinoma in situ (including Lobular Carcinoma in Situ and Ductal Carcinoma in Situ) and invasive cancers. CDC searched for but did not identify any individuals diagnosed with Carcinoma in Situ not otherwise specified.

^cIndividual grantee diagnosis counts do not add to the total due to privacy suppression; to protect patient confidentiality, CDC suppressed individual grantee diagnosis counts in years where the number of diagnoses was between 1 and 9, although those counts were included in “All grantees combined.” Flagged counts are undercounts because they include one or more years in which the diagnosis count was suppressed. Grantee counts are noted as “-” when at least one count was suppressed and other counts were zero for all years from 2011 to 2017.

^dMassachusetts was given CDC approval to suspend screening for 2016-2018 in order to redesign service delivery. In 2015, the state screened 87 people for breast cancer.

^eFunding for the Poarch Band of Creek Indians ended in 2012.

**Appendix I: Screening through the Early
Detection Program**

Table 3: Number of People Screened and Diagnosed with Cervical Cancer by National Breast and Cervical Cancer Early Detection Program Grantees, 2011 through 2018

Grantee category/grantee	Screened for cervical cancer, 2011^a	Screened for cervical cancer, 2018^a	Percentage change in people screened for cervical cancer, 2011 through 2018	Total diagnosed with cervical cancer, 2011 through 2017^b
All grantees combined	281,658	121,315	-56.9	22,960
States and D.C.	269,258	114,980	-57.3	22,178 ^c
States and D.C.: Alabama	2,998	3,306	10.3	462
States and D.C.: Alaska	5,350	2,323	-56.6	415
States and D.C.: Arizona	3,392	2,165	-36.2	189
States and D.C.: Arkansas	2,051	3,970	93.6	122 ^c
States and D.C.: California	22,309	13,889	-37.7	416
States and D.C.: Colorado	7,854	2,871	-63.4	317
States and D.C.: Connecticut	4,716	1,503	-68.1	278
States and D.C.: Delaware	2,074	685	-67.0	90 ^c
States and D.C.: District of Columbia	229	19	-91.7	- ^c
States and D.C.: Florida	5,999	2,396	-60.1	182
States and D.C.: Georgia	5,232	1,971	-62.3	209
States and D.C.: Hawaii	772	90	-88.3	- ^c
States and D.C.: Idaho	2,079	1,174	-43.5	391
States and D.C.: Illinois	14,972	2,844	-81.0	1,275
States and D.C.: Indiana	3,773	1,109	-70.6	141
States and D.C.: Iowa	2,787	753	-73.0	87 ^c
States and D.C.: Kansas	4,162	2,020	-51.5	228
States and D.C.: Kentucky	8,531	2,773	-67.5	340
States and D.C.: Louisiana	2,968	1,213	-59.1	61 ^c
States and D.C.: Maine	2,408	772	-67.9	89
States and D.C.: Maryland	5,033	1,588	-68.4	99 ^c
States and D.C.: Massachusetts^d	38	0	-100.0	- ^c
States and D.C.: Michigan	13,781	1,392	-89.9	1,567
States and D.C.: Minnesota	6,483	2,221	-65.7	223
States and D.C.: Mississippi	3,677	1,514	-58.8	221
States and D.C.: Missouri	3,512	1,823	-48.1	306
States and D.C.: Montana	2,761	741	-73.2	325
States and D.C.: Nebraska	5,526	355	-93.6	410
States and D.C.: Nevada	4,938	4,502	-8.8	169
States and D.C.: New Hampshire	2,803	757	-73.0	295
States and D.C.: New Jersey	9,355	5,211	-44.3	333

**Appendix I: Screening through the Early
Detection Program**

Grantee category/grantee	Screened for cervical cancer, 2011^a	Screened for cervical cancer, 2018^a	Percentage change in people screened for cervical cancer, 2011 through 2018	Total diagnosed with cervical cancer, 2011 through 2017^b
States and D.C.: New Mexico	8,161	2,635	-67.7	457
States and D.C.: New York	15,444	4,585	-70.3	375
States and D.C.: North Carolina	6,494	2,459	-62.1	453
States and D.C.: North Dakota	1,473	390	-73.5	50 ^c
States and D.C.: Ohio	9,830	1,798	-81.7	203
States and D.C.: Oklahoma	2,198	400	-81.8	207
States and D.C.: Oregon	5,725	1,880	-67.2	230 ^c
States and D.C.: Pennsylvania	2,506	4,394	75.3	218
States and D.C.: Rhode Island	3,206	1,265	-60.5	168
States and D.C.: South Carolina	4,273	5,614	31.4	325
States and D.C.: South Dakota	2,473	1,124	-54.5	210
States and D.C.: Tennessee	3,726	2,713	-27.2	568
States and D.C.: Texas	11,863	9,547	-19.5	7,455
States and D.C.: Utah	1,981	1,205	-39.2	90 ^c
States and D.C.: Vermont	469	64	-86.4	22 ^c
States and D.C.: Virginia	2,884	1,620	-43.8	184
States and D.C.: Washington	9,118	3,618	-60.3	290
States and D.C.: West Virginia	8,890	890	-90.0	1,054
States and D.C.: Wisconsin	5,490	707	-87.1	180
States and D.C.: Wyoming	491	122	-75.2	199
Territories	2,166	1,405	-35.1	- ^c
Territories: American Samoa	733	229	-68.8	- ^c
Territories: Commonwealth of Northern Mariana Islands	400	260	-35.0	- ^c
Territories: Guam	260	220	-15.4	- ^c
Territories: Puerto Rico	166	152	-8.4	- ^c
Territories: Republic of Palau	607	544	-10.4	- ^c
Tribes and tribal organizations	10,234	4,930	-51.8	319 ^c
Tribes and tribal organizations: Arctic Slope Native Association Limited	280	256	-8.6	- ^c
Tribes and tribal organizations: Cherokee Nation	1,576	1,021	-35.2	68 ^c
Tribes and tribal organizations: Cheyenne River Sioux	503	439	-12.7	- ^c
Tribes and tribal organizations: Hopi Tribe	213	50	-76.5	- ^c

Appendix I: Screening through the Early Detection Program

Grantee category/grantee	Screened for cervical cancer, 2011^a	Screened for cervical cancer, 2018^a	Percentage change in people screened for cervical cancer, 2011 through 2018	Total diagnosed with cervical cancer, 2011 through 2017^b
Tribes and tribal organizations: Kaw Nation	271	248	-8.5	- ^c
Tribes and tribal organizations: Native American Rehabilitation Association of the Northwest	281	242	-13.9	- ^c
Tribes and tribal organizations: Navajo Nation	304	335	10.2	- ^c
Tribes and tribal organizations: Poarch Band of Creek Indians ^e	37	0	-100.0	0
Tribes and tribal organizations: South Puget Intertribal Planning Agency	396	141	-64.4	- ^c
Tribes and tribal organizations: Southcentral Foundation	3,701	1,229	-66.8	193 ^c
Tribes and tribal organizations: Southeast Alaska Regional Health Consortium	1,555	794	-48.9	47 ^c
Tribes and tribal organizations: Yukon-Kuskokwim Health Corporation	1,117	175	-84.3	11 ^c

Source: GAO analysis of Centers for Disease Control and Prevention (CDC) data | GAO-21-35

Note: All numbers are unduplicated, meaning that people who received multiple cervical cancer screenings or diagnoses in a single year would be counted once. Because the diagnosis counts sum multiple years of data, individuals could be counted more than once if they received cervical cancer diagnoses in multiple years. Numbers include program participants of all ages, including those outside the target cervical cancer screening age range of 21 to 64. Data were not available for three grantees (two tribal organizations and one territory) that were new to the Early Detection Program in 2017: Great Plains Tribal Chairmen’s Health Board, American Indian Cancer Foundation, and the Republic of the Marshall Islands.

^aScreenings include all cervical cancer screening services (e.g., Pap test and human papilloma virus test).

^bThis table excludes 2018 diagnosis data because that data was only available through June 2018. Diagnoses include all diagnoses of cervical intraepithelial neoplasia 2 or worse, including cervical intraepithelial neoplasia 2, cervical intraepithelial neoplasia 3, carcinoma in situ, and invasive cancers.

^cIndividual grantee diagnosis counts do not add to the total due to privacy suppression; to protect patient confidentiality, CDC suppressed individual grantee diagnosis counts in years where the number of diagnoses was between 1 and 9, although those counts were included in “All grantees combined.” Flagged counts are undercounts because they include one or more years in which the diagnosis count was suppressed. Grantee counts are noted as “-” when at least one count was suppressed and other counts were zero for all years from 2011 to 2017.

^dMassachusetts was given CDC approval to suspend screening for 2016-2018 in order to redesign service delivery. In 2015, the state screened two people for cervical cancer.

^eFunding for the Poarch Band of Creek Indians ended in 2012.

**Appendix I: Screening through the Early
Detection Program**

Table 4: Race/Ethnicity of People Screened for Breast Cancer by National Breast and Cervical Cancer Early Detection Program Grantees, 2011 and 2018

na	People screened for breast cancer ^a							
	White, non-Hispanic		Black, non-Hispanic		Hispanic		Other races, non-Hispanic ^b	
na	2011	2018	2011	2018	2011	2018	2011	2018
Grantee category/grantee	2011	2018	2011	2018	2011	2018	2011	2018
All grantees combined	234,190	67,668	85,936	36,314	131,653	127,302	50,873	21,110
States and D.C.	233,611	67,073	85,923	36,291	131,418	126,990	38,531	12,434
States and D.C.: Alabama	3,915	2,750	4,060	2,256	613	898	204	100
States and D.C.: Alaska	4,154	1,881	319	145	715	389	1,026	490
States and D.C.: Arizona	2,218	429	139	39	4,995	4,225	230	43
States and D.C.: Arkansas	2,665	532	1,199	169	474	971	60	41
States and D.C.: California	3,332	489	1,011	216	16,743	17,127	10,743	1,732
States and D.C.: Colorado	7,576	1,003	973	194	5,359	1,970	961	202
States and D.C.: Connecticut	2,760	468	1,295	399	3,871	2,033	247	69
States and D.C.: Delaware	834	29	614	50	996	579	92	9
States and D.C.: District of Columbia	20	23	260	96	312	393	31	18
States and D.C.: Florida	5,662	5,663	3,299	3,269	4,260	5,411	439	438
States and D.C.: Georgia	3,800	2,567	5,382	3,955	1,462	2,490	399	118
States and D.C.: Hawaii	377	21	8	6	66	13	656	126
States and D.C.: Idaho	2,811	858	10	1	587	258	94	52
States and D.C.: Illinois	11,625	1,373	6,356	578	11,321	8,292	2,001	859
States and D.C.: Indiana	3,746	501	979	193	1,121	1,597	145	48
States and D.C.: Iowa	4,218	807	240	78	792	1,233	132	59
States and D.C.: Kansas	3,193	1,164	728	254	2,490	1,956	350	129
States and D.C.: Kentucky	12,106	1,690	2,081	207	1,199	1,893	249	105
States and D.C.: Louisiana	3,969	1,103	7,520	1,221	808	536	337	39
States and D.C.: Maine	4,480	2,170	17	34	60	25	104	83
States and D.C.: Maryland	2,832	463	2,662	787	1,636	1,968	633	181
States and D.C.: Massachusetts^c	34	0	28	0	50	0	2	0
States and D.C.: Michigan	16,276	1,971	6,952	734	1,730	1,877	925	97
States and D.C.: Minnesota	7,430	1,196	1,043	430	2,748	3,370	1,081	554
States and D.C.: Mississippi	2,052	980	4,144	2,128	199	198	91	49
States and D.C.: Missouri	7,152	3,116	2,274	1,296	735	949	234	183
States and D.C.: Montana	4,128	885	11	6	151	100	1,127	467
States and D.C.: Nebraska	6,524	909	602	166	1,931	344	350	95
States and D.C.: Nevada	1,121	164	224	47	5,402	5,269	225	56

**Appendix I: Screening through the Early
Detection Program**

na	People screened for breast cancer ^a							
	White, non-Hispanic		Black, non-Hispanic		Hispanic		Other races, non-Hispanic ^b	
na	2011	2018	2011	2018	2011	2018	2011	2018
Grantee category/grantee	2011	2018	2011	2018	2011	2018	2011	2018
States and D.C.: New Hampshire	3,922	886	58	70	255	317	199	102
States and D.C.: New Jersey	2,627	863	1,530	545	4,260	3,630	676	444
States and D.C.: New Mexico	1,918	207	85	10	8,000	3,771	2,987	305
States and D.C.: New York	12,587	2,243	5,372	2,106	9,632	11,132	3,969	1,745
States and D.C.: North Carolina	6,900	3,090	4,380	2,368	1,891	2,292	483	210
States and D.C.: North Dakota	2,472	768	30	41	138	94	436	174
States and D.C.: Ohio	11,272	2,172	3,552	513	440	740	384	123
States and D.C.: Oklahoma	1,456	326	462	138	1,133	485	339	27
States and D.C.: Oregon	4,872	429	100	26	2,205	2,870	699	110
States and D.C.: Pennsylvania	2,858	3,183	1,521	1,869	599	3,190	428	799
States and D.C.: Rhode Island	2,297	319	382	145	2,438	1,342	181	36
States and D.C.: South Carolina	3,483	3,871	4,739	4,263	484	4,668	110	113
States and D.C.: South Dakota	2,499	1,063	71	50	284	246	579	342
States and D.C.: Tennessee	4,861	2,942	2,033	997	356	653	33	25
States and D.C.: Texas	4,331	2,376	2,483	1,475	15,366	13,469	595	574
States and D.C.: Utah	2,652	944	63	34	2,579	3,242	300	230
States and D.C.: Vermont	690	163	14	6	8	1	29	10
States and D.C.: Virginia	3,761	2,690	2,460	2,158	466	663	412	140
States and D.C.: Washington	6,919	574	650	196	5,557	5,403	1,996	353
States and D.C.: West Virginia	13,773	1,892	549	119	204	46	120	24
States and D.C.: Wisconsin	5,822	688	955	206	2,201	2,332	337	75
States and D.C.: Wyoming	629	179	4	2	96	40	71	31
Territories	22	12	1	0	167	264	2,363	1,676
Territories: American Samoa	16	3	0	0	1	0	826	378
Territories: Commonwealth of Northern Mariana Islands	0	1	0	0	2	1	545	290
Territories: Guam	5	7	1	0	4	1	483	351
Territories: Puerto Rico	0	1	0	0	159	261	0	0
Territories: Republic of Palau	1	0	0	0	1	1	509	657
Tribes and tribal organizations	557	583	12	23	68	48	9,979	7,000
Tribes and tribal organizations: Arctic Slope Native Association Limited	9	25	1	5	7	4	276	216
Tribes and tribal organizations: Cherokee Nation	0	0	0	0	1	1	1,899	1,363

Appendix I: Screening through the Early Detection Program

na	People screened for breast cancer ^a							
	White, non-Hispanic		Black, non-Hispanic		Hispanic		Other races, non-Hispanic ^b	
Grantee category/grantee	2011	2018	2011	2018	2011	2018	2011	2018
Tribes and tribal organizations: Cheyenne River Sioux	49	83	0	0	0	2	504	697
Tribes and tribal organizations: Hopi Tribe	7	2	0	1	0	1	787	212
Tribes and tribal organizations: Kaw Nation	0	0	0	0	0	3	542	357
Tribes and tribal organizations: Native American Rehabilitation Association of the Northwest	29	63	9	16	14	22	345	286
Tribes and tribal organizations: Navajo Nation	1	1	0	0	0	0	1,166	1,125
Tribes and tribal organizations: Poarch Band of Creek Indians ^d	0	0	0	0	0	0	33	0
Tribes and tribal organizations: South Puget Intertribal Planning Agency	71	61	0	0	14	8	636	330
Tribes and tribal organizations: Southcentral Foundation	56	9	0	0	3	3	1,527	1,458
Tribes and tribal organizations: Southeast Alaska Regional Health Consortium	320	337	1	1	25	4	1,361	773
Tribes and tribal organizations: Yukon-Kuskokwim Health Corporation	15	2	1	0	4	0	903	183

Source: GAO analysis of Centers for Disease Control and Prevention (CDC) data | GAO-21-35

Note: Numbers include program participants of all ages, including those outside the target breast cancer screening age range of 40 to 64. Data were not available for three grantees (two tribal organizations and one territory) that were new to the Early Detection Program in 2017: Great Plains Tribal Chairmen’s Health Board, American Indian Cancer Foundation, and the Republic of the Marshall Islands.

^aAll numbers are unduplicated, meaning that people who received multiple breast cancer screenings in a single year would be counted once. Screenings include all breast cancer screening services (e.g., mammogram, clinical breast exam).

^bIncludes non-Hispanic people from the following racial groups: Asian, Native Hawaiian or Other Pacific Islander, American Indian or Alaska Native, and Multiracial. Also includes Asian/Pacific Islander, a legacy category from an earlier version of CDC’s data collection. People whose race/ethnicity was marked unknown are excluded from this table; there were 5,540 people of unknown race/ethnicity screened for breast cancer in 2011 across all grantees, decreasing to 3,072 in 2018.

^cMassachusetts was given CDC approval to suspend screening for 2016-2018 in order to redesign service delivery. In 2015, the state’s screening numbers for breast cancer were eight (white, non-Hispanic), five (black, Non-Hispanic), 71 (Hispanic), and two (other races, non-Hispanic).

^dFunding for the Poarch Band of Creek Indians ended in 2012.

**Appendix I: Screening through the Early
Detection Program**

Table 5: Race/Ethnicity of People Screened for Cervical Cancer by National Breast and Cervical Cancer Early Detection Program Grantees, 2011 and 2018

na	People screened for cervical cancer ^a							
	White, non-Hispanic		Black, non-Hispanic		Hispanic		Other races, non-Hispanic ^b	
na	2011	2018	2011	2018	2011	2018	2011	2018
Grantee category/grantee	2011	2018	2011	2018	2011	2018	2011	2018
All grantees combined	127,763	30,226	38,639	12,960	76,855	65,488	35,351	11,159
States and D.C.	127,376	29,896	38,628	12,949	76,635	65,296	23,612	5,394
States and D.C.: Alabama	1,424	1,510	1,233	1,062	264	633	77	67
States and D.C.: Alaska	3,383	1,534	307	85	631	247	861	373
States and D.C.: Arizona	1,004	194	56	24	2,207	1,916	111	18
States and D.C.: Arkansas	1,165	1,156	505	650	312	2,060	30	73
States and D.C.: California	2,421	337	479	107	11,103	12,437	7,675	841
States and D.C.: Colorado	4,053	1,268	424	139	2,828	1,262	491	163
States and D.C.: Connecticut	1,488	218	715	194	2,304	1,025	149	32
States and D.C.: Delaware	565	26	399	28	1,050	626	53	4
States and D.C.: District of Columbia	13	0	138	9	45	6	32	3
States and D.C.: Florida	2,382	888	1,478	527	1,890	894	221	79
States and D.C.: Georgia	1,847	548	2,357	868	823	522	198	30
States and D.C.: Hawaii	248	14	6	3	48	5	470	68
States and D.C.: Idaho	1,562	881	8	6	436	235	59	44
States and D.C.: Illinois	5,720	410	2,411	162	5,491	1,895	1,256	374
States and D.C.: Indiana	2,269	213	608	72	782	793	95	27
States and D.C.: Iowa	2,067	254	104	27	503	443	65	25
States and D.C.: Kansas	1,867	633	464	143	1,608	1,152	220	71
States and D.C.: Kentucky	6,688	1,307	994	126	708	1,264	141	76
States and D.C.: Louisiana	1,433	306	1,423	392	53	459	50	50
States and D.C.: Maine	2,314	708	12	25	37	12	45	27
States and D.C.: Maryland	1,845	194	1,527	344	1,178	959	435	82
States and D.C.: Massachusetts^c	16	0	7	0	12	0	2	0
States and D.C.: Michigan	8,474	643	3,922	221	921	485	438	33
States and D.C.: Minnesota	3,723	358	533	184	1,502	1,483	497	145
States and D.C.: Mississippi	1,208	440	2,273	951	131	93	59	26
States and D.C.: Missouri	2,323	1,069	718	307	340	363	83	75
States and D.C.: Montana	2,242	538	7	6	86	70	413	119
States and D.C.: Nebraska	3,988	240	367	28	930	61	226	24
States and D.C.: Nevada	727	116	134	32	3,919	4,317	143	35

**Appendix I: Screening through the Early
Detection Program**

na	People screened for cervical cancer ^a							
	White, non-Hispanic		Black, non-Hispanic		Hispanic		Other races, non-Hispanic ^b	
na	2011	2018	2011	2018	2011	2018	2011	2018
Grantee category/grantee	2011	2018	2011	2018	2011	2018	2011	2018
States and D.C.: New Hampshire	2,481	458	35	48	160	187	126	63
States and D.C.: New Jersey	2,473	687	1,366	387	4,851	3,762	629	357
States and D.C.: New Mexico	1,126	150	44	10	5,044	2,272	1,797	127
States and D.C.: New York	6,149	558	2,660	521	4,226	2,887	2,079	466
States and D.C.: North Carolina	3,251	982	1,771	667	1,094	715	295	73
States and D.C.: North Dakota	1,177	252	14	31	74	35	203	71
States and D.C.: Ohio	7,599	1,226	1,703	180	290	345	228	45
States and D.C.: Oklahoma	915	143	341	56	658	186	266	14
States and D.C.: Oregon	3,409	229	68	22	1,633	1,523	557	66
States and D.C.: Pennsylvania	1,770	1,644	415	637	191	1,692	107	274
States and D.C.: Rhode Island	1,443	203	216	99	1,393	926	106	20
States and D.C.: South Carolina	1,798	1,673	2,126	1,474	289	2,290	56	49
States and D.C.: South Dakota	1,829	665	48	37	232	177	364	242
States and D.C.: Tennessee	2,454	1,445	912	554	293	623	22	17
States and D.C.: Texas	2,259	1,138	1,153	751	8,025	7,369	290	217
States and D.C.: Utah	905	310	26	12	945	843	101	38
States and D.C.: Vermont	435	56	6	0	7	2	16	3
States and D.C.: Virginia	1,572	845	828	499	226	200	213	48
States and D.C.: Washington	3,826	198	385	117	3,348	3,049	1,341	190
States and D.C.: West Virginia	8,300	781	346	71	138	17	77	10
States and D.C.: Wisconsin	3,339	167	556	51	1,309	451	128	15
States and D.C.: Wyoming	407	83	0	3	67	28	16	5
Territories	16	7	0	0	170	153	1,969	1,224
Territories: American Samoa	11	1	0	0	1	1	718	227
Territories: Commonwealth of Northern Mariana Islands	1	0	0	0	1	0	392	244
Territories: Guam	2	4	0	0	2	0	255	211
Territories: Puerto Rico	0	1	0	0	165	151	0	0
Territories: Republic of Palau	2	1	0	0	1	1	604	542
Tribes and tribal organizations	371	323	11	11	50	39	9,770	4,541
Tribes and tribal organizations: Arctic Slope Native Association Limited	13	16	2	2	5	5	259	225
Tribes and tribal organizations: Cherokee Nation	0	0	0	0	0	0	1,576	1,021

Appendix I: Screening through the Early Detection Program

na	People screened for cervical cancer ^a							
	White, non-Hispanic		Black, non-Hispanic		Hispanic		Other races, non-Hispanic ^b	
Grantee category/grantee	2011	2018	2011	2018	2011	2018	2011	2018
Tribes and tribal organizations: Cheyenne River Sioux	1	2	0	0	0	0	502	437
Tribes and tribal organizations: Hopi Tribe	0	1	0	0	1	0	212	49
Tribes and tribal organizations: Kaw Nation	0	0	0	0	0	3	271	245
Tribes and tribal organizations: Native American Rehabilitation Association of the Northwest	21	40	7	8	10	16	240	176
Tribes and tribal organizations: Navajo Nation	0	0	0	0	0	0	292	335
Tribes and tribal organizations: Poarch Band of Creek Indians ^d	0	0	0	0	0	0	37	0
Tribes and tribal organizations: South Puget Intertribal Planning Agency	36	14	0	0	7	6	347	118
Tribes and tribal organizations: Southcentral Foundation	29	6	1	1	8	4	3,663	1,215
Tribes and tribal organizations: Southeast Alaska Regional Health Consortium	258	244	1	0	18	4	1,271	546
Tribes and tribal organizations: Yukon-Kuskokwim Health Corporation	13	0	0	0	1	1	1,100	174

Source: GAO analysis of Centers for Disease Control and Prevention (CDC) data | GAO-21-35

Note: Numbers include program participants of all ages, including those outside the target cervical cancer screening age range of 21 to 64. Data were not available for three grantees (two tribal organizations and one territory) that were new to the Early Detection Program in 2017: Great Plains Tribal Chairmen’s Health Board, American Indian Cancer Foundation, and the Republic of the Marshall Islands.

^aAll numbers are unduplicated, meaning that people who received multiple cervical cancer screenings in a single year would be counted once. Screenings include all cervical cancer screening services (e.g., Pap test and human papilloma virus test).

^bIncludes non-Hispanic people from the following racial groups: Asian, Native Hawaiian or Other Pacific Islander, American Indian or Alaska Native, and Multiracial. Also includes Asian/Pacific Islander, a legacy category from an earlier version of CDC’s data collection. People whose race/ethnicity was marked unknown are excluded from this table; there were 3,050 people of unknown race/ethnicity screened for cervical cancer in 2011 across all grantees, decreasing to 1,482 in 2018.

^cMassachusetts was given CDC approval to suspend screening for 2016-2018 in order to redesign service delivery. In 2015, the state screened two Hispanic people for cervical cancer and did not screen anyone of other races/ethnicities.

^dFunding for the Poarch Band of Creek Indians ended in 2012.

Appendix II: Medicaid Breast and Cervical Cancer Prevention and Treatment Act Enrollment

Table 6: Total Number of People Enrolled in Medicaid under the Breast and Cervical Cancer Prevention and Treatment Act, 2016 and 2019

State	Total enrolled, 2016 ^a	Total enrolled, 2019 ^a	Percentage change in enrollment, 2016 through 2019	Medicaid expansion status, 2019 ^b
All states and D.C.	50,219	43,549	-13.3	-
All states and D.C.: Alabama	1,326	1,504	13.4	Non-expansion
All states and D.C.: Alaska	88	47	-46.6	Expansion
All states and D.C.: Arizona	326	240	-26.4	Expansion
All states and D.C.: Arkansas^c	0	0	-	Expansion
All states and D.C.: California	7,903	5,359	-32.2	Expansion
All states and D.C.: Colorado	252	237	-6.0	Expansion
All states and D.C.: Connecticut	504	329	-34.7	Expansion
All states and D.C.: Delaware	43	20	-53.5	Expansion
All states and D.C.: District of Columbia	10	6	-40.0	Expansion
All states and D.C.: Florida	1,025	1,047	2.1	Non-expansion
All states and D.C.: Georgia	3,924	2,880	-26.6	Non-expansion
All states and D.C.: Hawaii	15	6	-60.0	Expansion
All states and D.C.: Idaho	342	351	2.6	Non-expansion
All states and D.C.: Illinois	1,441	104	-92.8	Expansion
All states and D.C.: Indiana	931	929	-0.2	Expansion
All states and D.C.: Iowa	197	192	-2.5	Expansion
All states and D.C.: Kansas	347	351	1.2	Non-expansion
All states and D.C.: Kentucky	61	44	-27.9	Expansion
All states and D.C.: Louisiana	1,375	553	-59.8	Expansion
All states and D.C.: Maine	250	231	-7.6	Expansion
All states and D.C.: Maryland^c	201	103	-48.8	Expansion

**Appendix II: Medicaid Breast and Cervical
Cancer Prevention and Treatment Act
Enrollment**

State	Total enrolled, 2016^a	Total enrolled, 2019^a	Percentage change in enrollment, 2016 through 2019	Medicaid expansion status, 2019^b
All states and D.C.:	3,981	4,088	2.7	Expansion
Massachusetts				
All states and D.C.: Michigan	1,124	1,048	-6.8	Expansion
All states and D.C.: Minnesota	330	292	-11.5	Expansion
All states and D.C.: Mississippi	224	233	4.0	Non-expansion
All states and D.C.: Missouri	2,255	2,636	16.9	Non-expansion
All states and D.C.: Montana	105	72	-31.4	Expansion
All states and D.C.: Nebraska	166	181	9.0	Non-expansion
All states and D.C.: Nevada	210	163	-22.4	Expansion
All states and D.C.: New Hampshire	159	179	12.6	Expansion
All states and D.C.: New Jersey	637	420	-34.1	Expansion
All states and D.C.: New Mexico	287	152	-47.0	Expansion
All states and D.C.: New York	1,149	979	-14.8	Expansion
All states and D.C.: North Carolina	10	20	100.0	Non-expansion
All states and D.C.: North Dakota	18	9	-50.0	Expansion
All states and D.C.: Ohio	735	388	-47.2	Expansion
All states and D.C.: Oklahoma	852	778	-8.7	Non-expansion
All states and D.C.: Oregon	439	250	-43.1	Expansion
All states and D.C.: Pennsylvania	1,576	1,347	-14.5	Expansion
All states and D.C.: Rhode Island	156	104	-33.3	Expansion
All states and D.C.: South Carolina	1,610	1,438	-10.7	Non-expansion
All states and D.C.: South Dakota	118	96	-18.6	Non-expansion
All states and D.C.: Tennessee	3,492 ^d	4,683	34.1	Non-expansion
All states and D.C.: Texas	6,475	6,428	-0.7	Non-expansion
All states and D.C.: Utah	355	263	-25.9	Non-expansion
All states and D.C.: Vermont	72	52	-27.8	Expansion
All states and D.C.: Virginia	1,403	1,104	-21.3	Expansion
All states and D.C.: Washington	452	494	9.3	Expansion
All states and D.C.: West Virginia	394	407	3.3	Expansion
All states and D.C.: Wisconsin	769	634	-17.6	Non-expansion
All states and D.C.: Wyoming	105	78	-25.7	Non-expansion

Source: GAO analysis of Transformed Medicaid Statistical Information System Analytic File from the Centers for Medicare and Medicaid Services (CMS) | GAO-21-35

Note: Data were accessed on September 2, 2020. We analyzed the Medicaid enrollment data as they were reported by states to CMS. We did not otherwise independently verify the accuracy or completeness of the Medicaid enrollment information with the states.

**Appendix II: Medicaid Breast and Cervical
Cancer Prevention and Treatment Act
Enrollment**

^aNumber of people enrolled in Medicaid through the “Certain Individuals Needing Treatment for Breast or Cervical Cancer” eligibility group during at least one month of the year.

^bWe used Medicaid expansion status information available on the Kaiser Family Foundation’s website, which tracks the date when each state’s expansion went into effect. These data are current as of February 19, 2020. Kaiser Family Foundation, “Status of State Action on the Medicaid Expansion Decision, July 1, 2020,” accessed July 22, 2020, <https://www.kff.org/health-reform/state-indicator/state-activity-around-expanding-medicaid-under-the-affordable-care-act/>. For purposes of this analysis, states were only counted as expansion states if expansion occurred during or before 2019.

^cArkansas and Maryland both opted to discontinue offering Medicaid coverage under the Breast and Cervical Cancer Prevention and Treatment Act in 2014. Maryland officials explained that people enrolled prior to December 31, 2013, and actively in treatment are allowed to continue treatment to completion.

^dCMS data we analyzed for 2016 in Tennessee are based on a different data field than the other states and years due to data reliability concerns with the reported number of individuals enrolled in Medicaid under the Treatment Act.

Appendix III: GAO Contact and Staff Acknowledgments

GAO Contact

John E. Dicken, (202) 512-7114 or dickenj@gao.gov.

Staff Acknowledgments

In addition to the contact named above, Karin Wallestad (Assistant Director), Sarah-Lynn McGrath (Analyst-in-Charge), Isabella Guyott, and Julianne Flowers made key contributions to this report. Also contributing to this report were Kristen Anderson, Laurie Pachter, Vikki Porter, and Jennifer Whitworth.

Appendix IV: Accessible Data

Data Tables

Accessible Data for Number of People Screened by CDC's Early Detection Program, 2011-2018

Calendar Year	# Screened (Total Unduplicated)
2011	550,390
2012	540,005
2013	513,276
2014	378,497
2015	333,852
2016	315,266
2017	319,947
2018	296,225

Appendix IV: Accessible Data

Accessible Data for Figure 1: People Screened by CDC's National Breast and Cervical Cancer Early Detection Program, 2011 through 2018

Calendar Year	# Screened (Total Unduplicated)	# Screened (Breast)	# Screened (Cervical)
2011	550,390	508,192	281,658
2012	540,005	498,186	251,776
2013	513,276	473,452	211,223
2014	378,497	345,725	148,203
2015	333,852	295,373	140,044
2016	315,266	276,621	132,109
2017	319,947	279,926	133,322
2018	296,225	255,466	121,315

Appendix IV: Accessible Data

Accessible Data for Figure 2: Estimated Number of People Eligible for the National Breast and Cervical Cancer Early Detection Program, 2011 through 2017

Calendar Year	# Eligible (Breast)	# Eligible (Cervical)	# Eligible (Breast) Confidence Interval (Lower Bound)	# Eligible (Breast) Confidence Interval (Upper Bound)	# Eligible (Cervical) Confidence Interval (Lower Bound)	# Eligible (Cervical) Confidence Interval (Upper Bound)
2011	5,390,000	10,275,000	5,172,000	5,608,000	9,969,000	10,580,000
2012	5,413,000	10,166,000	5,209,000	5,618,000	9,879,000	10,453,000
2013	5,293,000	9,932,000	5,080,000	5,507,000	9,632,000	10,232,000
2014	4,113,000	7,882,000	3,928,000	4,298,000	7,619,000	8,145,000
2015	3,136,000	6,127,000	2,968,000	3,305,000	5,889,000	6,365,000
2016	2,826,000	5,460,000	2,666,000	2,986,000	5,235,000	5,685,000
2017	2,801,000	5,347,000	2,640,000	2,962,000	5,121,000	5,572,000

Accessible Data for Figure 3: People Screened by CDC’s National Breast and Cervical Cancer Early Detection Program, by Race and Ethnicity, 2011 through 2018

Calendar Year	# Screened (Breast, Hispanic)	# Screened (Breast, White, Non-Hispanic)	# Screened (Breast, Black, Non-Hispanic)	# Screened (Breast, Other Races, Non-Hispanic)	# Screened (Cervical, Hispanic)	# Screened (Cervical, White, Non-Hispanic)	# Screened (Cervical, Black, Non-Hispanic)	# Screened (Cervical, Other Races, Non-Hispanic)
2011	131,653	234,190	85,936	50,873	76,855	127,763	38,639	35,351
2012	133,968	224,011	83,778	50,896	71,940	109,764	34,161	33,243
2013	128,990	210,561	80,195	48,666	61,994	90,977	29,461	26,606
2014	121,244	127,305	59,151	34,107	58,626	51,453	19,662	17,059
2015	123,492	94,103	47,502	27,321	64,808	41,346	17,225	15,441
2016	127,165	78,811	43,445	24,557	66,788	35,665	15,489	12,855
2017	137,713	76,042	40,386	22,704	69,602	34,659	14,544	13,067
2018	127,302	67,668	36,314	21,110	65,488	30,226	12,960	11,159

GAO's Mission

The Government Accountability Office, the audit, evaluation, and investigative arm of Congress, exists to support Congress in meeting its constitutional responsibilities and to help improve the performance and accountability of the federal government for the American people. GAO examines the use of public funds; evaluates federal programs and policies; and provides analyses, recommendations, and other assistance to help Congress make informed oversight, policy, and funding decisions. GAO's commitment to good government is reflected in its core values of accountability, integrity, and reliability.

Obtaining Copies of GAO Reports and Testimony

The fastest and easiest way to obtain copies of GAO documents at no cost is through our website. Each weekday afternoon, GAO posts on its [website](#) newly released reports, testimony, and correspondence. You can also [subscribe](#) to GAO's email updates to receive notification of newly posted products.

Order by Phone

The price of each GAO publication reflects GAO's actual cost of production and distribution and depends on the number of pages in the publication and whether the publication is printed in color or black and white. Pricing and ordering information is posted on GAO's website, <https://www.gao.gov/ordering.htm>.

Place orders by calling (202) 512-6000, toll free (866) 801-7077, or TDD (202) 512-2537.

Orders may be paid for using American Express, Discover Card, MasterCard, Visa, check, or money order. Call for additional information.

Connect with GAO

Connect with GAO on [Facebook](#), [Flickr](#), [Twitter](#), and [YouTube](#).
Subscribe to our [RSS Feeds](#) or [Email Updates](#). Listen to our [Podcasts](#).
Visit GAO on the web at <https://www.gao.gov>.

To Report Fraud, Waste, and Abuse in Federal Programs

Contact FraudNet:

Website: <https://www.gao.gov/fraudnet/fraudnet.htm>

Automated answering system: (800) 424-5454 or (202) 512-7700

Congressional Relations

Orice Williams Brown, Managing Director, WilliamsO@gao.gov, (202) 512-4400,
U.S. Government Accountability Office, 441 G Street NW, Room 7125,
Washington, DC 20548

Public Affairs

Chuck Young, Managing Director, youngc1@gao.gov, (202) 512-4800
U.S. Government Accountability Office, 441 G Street NW, Room 7149
Washington, DC 20548

Strategic Planning and External Liaison

James-Christian Blockwood, Managing Director, spel@gao.gov, (202) 512-4707
U.S. Government Accountability Office, 441 G Street NW, Room 7814,
Washington, DC 20548

